

**HUDSON EXTENDS DIAMONDFEROUS GARNET LAKE DIKE
WITH RECENT DRILL RESULTS**

Vancouver, BC - **HUDSON RESOURCES INC.** (“Hudson” – TSX Venture Exchange “HUD”) is pleased to announce diamond results from the remaining holes of the 2006 diamond drilling program. Diamonds were recovered in each of the core samples which intersected the Garnet Lake dike. The results extend the diamond-bearing dike easterly 900m and north-easterly 700m from Garnet Lake. These results are significant as they double the extent of the diamond-bearing kimberlite to the east of Garnet Lake. The diamondiferous results from the north-east are from previously untested areas. The Garnet Lake dike has now been shown to be diamond-bearing over a strike length of 900m and remains open to the south, east and north. Additional maps, images and background information are available on Hudson’s website at www.hudsonresources.ca.

“These results continue to confirm the size potential and continuity of the Garnet Lake dike as being a significantly diamondiferous body,” stated James Tuer, President of Hudson. “The small core samples demonstrate the same coarse diamond distribution that has been found in earlier samples. As well, the core has been garnet-bearing which is a prime identifier of the diamond-bearing kimberlite at Garnet Lake. Furthermore, the 50 tonne sample, which has now been crushed in preparation for diamond recovery at SGS Lakefield Research, displays the same garnet-bearing qualities.”

DRILL CORE DIAMOND RECOVERY FROM THE GARNET LAKE DIKE

Kimberlite Sample	Pierce Point	Kimberlite Thickness	Weight (kg)	Diamonds in Square Mesh Sieve Sizes (microns)						Total Diamond	Wt+ (milligrams)	Wt- (milligrams)
				+75	+106	+150	+212	+300	+425			
06DS13-D1	900m ¹	2.01m	5.95	2	4	2		3		11	0.000	0.179
06DS14-D1	500m ²	2.47m	7.90				1			1	0.000	0.046
06DS15-D1	700m ²	2.24m	5.85	2	1	1			1	5	0.000	0.293

Notes: Wt+ refers to the weight of macrodiamonds (>0.5mm in 3 dimensions) – 1 Carat = 200 milligrams
Wt- refers to the weight of microdiamonds (>0.075mm and < 0.5mm)

1. Down-dip pierce point measured easterly from Garnet Lake along the seismic reflection line SL-1.
2. Down-dip pierce point measured north-easterly from Garnet Lake along the seismic reflection line SL-3.

The final 2006 drill hole, 06DS16, that was designed to test a magnetic low located outside the main Garnet Lake dike structure, contained no diamonds in a 7.60kg and a 3.30kg sample of the core.

The samples were processed by the GeoAnalytical Laboratories at the Saskatchewan Research Council (“SRC”), Saskatoon, Saskatchewan, an independent laboratory. SRC GeoAnalytical Laboratories is accredited to the ISO/IEC 17025 standard by the Standards Council of Canada as a testing laboratory for specific tests. Dr. Mark Hutchison, Trigon GeoServices Ltd., was in charge of the collection of the samples in Greenland and managed the chain of custody from the field to the SRC. Dr. John Ferguson reviewed this press release and is a qualified person under National Instrument 43-101.

ON BEHALF OF THE BOARD OF DIRECTORS

“James Tuer”

James Tuer, President

For further information:

James Tuer, President
Ph: 604-628-5002 or 604-688-3415
tuer@hudsonresources.ca

This news release contains forward-looking statements regarding ongoing and upcoming exploration work and expected geology, geological formations and structures. Actual results may differ materially from those anticipated in these statements. The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.